



6TH REFUGE FLOOR
AREA CALCULATION
BUILDING=3

REFUGE AREA CALCULATION - 6 TH FLOOR (BUILDING - 3)				
GROSS - A				
RF1	=	2	X	4.250 X 3.550 = 15.087 SQM
RF2	=	2	X	3.300 X 3.800 = 12.540 SQM
RF3	=	2	X	7.050 X 3.200 = 22.560 SQM
RF4	=	2	X	1.100 X 10.700 = 23.540 SQM
RF5	=	1	X	2.200 X 7.100 = 15.620 SQM
RF6	=	1	X	3.970 X 2.950 = 11.712 SQM
RF7	=	0.5	X	2.500 X 2.950 = 3.688 SQM
RF8	=	1	X	3.300 X 31.480 = 104.076 SQM
RF9	=	0.5	X	2.500 X 2.950 = 3.688 SQM
RF10	=	1	X	2.200 X 4.350 = 9.570 SQM
				TOTAL = 383.892 SQM
GROSS AREA OF 6 TH FLOOR	=	6890.421	SQM	
GROSS AREA OF 7 TH FLOOR	=	6278.679	SQM	
		13169.100	SQM	
REFUGE AREA REQUIRED	=	13128.100 X 0.310		ADDITIONAL SPACE TO ACCOMMODATE ONE WHEEL CHAIR SPACE
		383.783	SQM	1.8
REFUGE AREA PROVIDED	=	GROSS-A		
		383.892	SQM	
		GROSS-B		
		711.888	SQM	
		328.193	SQM	
REFUGE AREA CALCULATION - 6 TH FLOOR (BUILDING - 3)				
GROSS - B				
RF11	=	2	X	2.100 X 3.600 = 15.120 SQM
RF12	=	2	X	0.300 X 3.310 = 1.986 SQM
RF13	=	2	X	2.900 X 3.600 = 21.240 SQM
RF14	=	2	X	4.300 X 4.550 = 38.930 SQM
RF15	=	2	X	8.510 X 2.550 = 43.401 SQM
RF16	=	2	X	12.015 X 7.900 = 94.919 SQM
RF17	=	2	X	0.300 X 10.000 = 6.000 SQM
RF18	=	2	X	10.000 X 0.300 = 6.000 SQM
RF19	=	2	X	1.215 X 0.300 = 0.729 SQM
RF20	=	0.5	X	0.550 X 8.200 = 2.255 SQM
RF21	=	0.5	X	0.550 X 8.200 = 2.255 SQM
				TOTAL = 328.193 SQM

6TH REFUGE TERRACE
FLOOR PLAN
LVL+26.350
R/III DINING=3

- Note :-
- BUILDING HAS AUTOMATIC SPRINKLER SYSTEM WHEREVER REQUIRED BY NBC.
 - BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVANT CODES FOR EARTH QUAKE RESISTANCE.
 - BUILDING IS ARTIFICIALLY LIGHTED MECHANICALLY VENTILATED & CENTRALLY AIRCONDITIONED WITH 100% POWER BACKUP.

LEGEND

- 1000 SOLI PUMP
- 1000 WASTE PUMP
- 1000 VENT PIPE (VP)
- 1000 FIRE SUPPLY PIPE
- 1000 GAS SUPPLY PIPE
- 1000 RAIN WATER PIPE
- 2000 RAIN WATER PIPE
- 1000 SHUT DOWN PIPE

ROOM SCHEDULE

NO.	PARTICULARS	SIZE	NO. OF
001	TOILET DOOR	750x2400	
002	JANITOR	900x2400	
003	PASSAGE	1000x2400	
004	PH	800x2400	
005	PH PASSAGE	1000x2400	
006	OFFICE ENTRANCE	2000x2400	2 Nos.
007	STAIRCASE (LIFT LOBBY)	1200x2400	2 Nos.
008	L.V. SHAFT	1000x2400	2 Nos.
009	AND ROOM	1000x2400	2 Nos.
010	ELECTRICAL SHAFT	1000x2400	2 Nos.
011		1000x2400	



RISMS ARCHITECTS PVT. LTD.
69, Nara Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.: 011-26898616, 26898617
www.risms-arch.com

PROPOSED SUBMISSION OF UNDER TRANSIT ORIENTED DEVELOPMENT (TOD) POLICY FOR COMMERCIAL SITE MEASURING 32.36 ACRES FALLING IN RESIDENTIAL PLOTTED COLONY NAMED DLF CITY PHASE-I, II & III IN SECTOR-24, 25 & 25A GURUGRAM-MANESAR URBAN COMPLEX BEING DEVELOPED BY DLF LIMITED.

OWNER: DLF CITY CENTRE LTD.
DLF THE SHOPPING MALL COMPLEX JARUN MARK
DLF CITY PHASE-I, GURGAON - 122002 - HARYANA

DRAWING TITLE:-
6TH FLOOR PLAN (BUILDING-03)

REVISION	JOB NO.:-	DRG NO.:-	NORTH
		B3-06	N
	SCALE:-	DATE:-	
	1:100	22-08-2019	

FILE:- DEALT BY:- CHECKED BY:- APPROVED BY:-

ARCHITECT'S SEAL & SIGNATURE: _____
OWNER'S SEAL & SIGNATURE: _____

Checked and signed as per the drawing by the Architect/Engineer/Structural Engineer/MEP Engineer/Interior Designer/Other Professional as per the scope of work.

This is a PROVISIONAL APPROVED BUILDING PLAN only for purpose of getting connection from the general public.
Director of Town and Country Planning, Haryana, Chandigarh

